

AD-775 409

USADAC TECHNICAL LIBRARY



5 0712 01015366 5



AD 775 409

Reports Control Symbol  
OSD-1366

RESEARCH AND DEVELOPMENT TECHNICAL REPORT  
ECOM-5518

# THE SPECTRUM OF LASER-INDUCED TURBULENCE

By

Chan Mou Tchen

Edward Collett

**Atmospheric Sciences Laboratory**

US Army Electronics Command  
White Sands Missile Range, New Mexico 88002

February 1974

Approved for public release; distribution unlimited.

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND - FORT MONMOUTH, NEW JERSEY 07703

## NOTICES

### Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government endorsement or approval of commercial products or services referenced herein.

### Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER EOM-5518	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE SPECTRUM OF LASER-INDUCED TURBULENCE		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Chan Mou Tchen and Edward Collett		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task No. IT-61102B53A-19
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command Fort Monmouth, New Jersey 07703		12. REPORT DATE February 1974
		13. NUMBER OF PAGES 23
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Turbulence 2. Wavenumber 3. Laser 4. Inertia Spectrum		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The structure of turbulence as induced by the propagation of a high energy laser beam in a fluid is investigated. An analytical theory is developed predicting the spectral laws of temperature fluctuations. The theory involves a hierarchy of equations, which is closed by the method of cascade, as has been developed and applied by Tchen to hydrodynamic and plasma turbulences. The inertia and dissipation subranges are found to follow a modified Kolmogorov law and a modified $-13/3$ power law, respectively. The critical		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20.

wavenumber separating the two subranges has been determined to occur at a lower wavenumber than that in the velocity spectrum. In addition, the magnitude of the inertia spectrum is increased by the laser beam as a result of the enhanced conduction. The parameters and the numerical coefficients entering into the spectrum are also determined analytically.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## FOREWORD

Professor Tchen is with the City College of the City University of New York.

## CONTENTS

	<u>Page</u>
INTRODUCTION . . . . .	5
FUNDAMENTAL EQUATIONS . . . . .	5
EQUATIONS OF TURBULENT MOTIONS . . . . .	8
CASCADE DECOMPOSITION . . . . .	10
EQUATION OF SPECTRAL BALANCE . . . . .	12
HEAT FLUX AND EDDY CONDUCTIVITY . . . . .	13
EQUILIBRIUM RANGE OF THE SPECTRUM . . . . .	16
THE SPECTRUM IN THE ABSENCE OF BUOYANCY . . . . .	18
CONCLUSIONS . . . . .	21
LITERATURE CITED . . . . .	23

## INTRODUCTION

The linear theory of the propagation of a laser beam in a random or turbulent medium, which is valid for a low power laser, has been widely investigated [1,2]. However, a high energy laser beam will modify the medium by various effects, such as inducing turbulence in a quiescent medium or changing the state of previously existing turbulence. Such a modified medium will in turn change the mode of propagation. Experiments have shown that a laser beam can indeed induce turbulence, and some criteria for the onset of turbulence have been developed [3,4,5]. In the present work, we shall develop a theory of thermal turbulence as induced by a laser beam. Here the laser acts as a source of heat which is deposited into the fluid medium by conduction and convection, due to absorption and beam inhomogeneity, respectively; in a self-consistent way, the thermal fluctuations also modify the heat source. The nonlinear equation describing the fluctuations of temperature gives rise to a hierarchy which needs to be closed. The method of cascade decomposition, which was developed by Tchen to close the hierarchy and which has been successfully applied to hydrodynamic and plasma turbulence, will be extended to laser induced turbulence [6,7].

In the present work we neglect the acoustic effects, as is permitted in all problems of thermal oscillations under the Boussinesq approximation. The buoyancy effect which is retained in the general formulation is found to be negligible in the inertia and dissipation subranges of the spectrum.

## FUNDAMENTAL EQUATIONS

The fundamental equations which describe the fluid motion in the atmosphere in the presence of laser heating are the Navier-Stokes equation of momentum,

$$\rho \left( \frac{\partial \underline{u}}{\partial t} + \underline{u} \cdot \nabla \underline{u} \right) = -\nabla p + \nabla(\rho \nu \nabla \underline{u}) + \frac{1}{3} \nabla(\rho \nu \nabla \underline{u}) - \beta \underline{g}(T-T_0) \quad (1)$$

the equation of continuity,

$$\frac{\partial \rho}{\partial t} + \nabla(\rho \underline{u}) = 0 \quad (2)$$

and the equation of heat,

$$\rho c_v \frac{\partial T}{\partial t} + \underline{u} \cdot \nabla T = -p \nabla \cdot \underline{u} + k \nabla^2 T + \Phi + \alpha I \quad (3)$$



Here  $\rho$  is the density,  $\underline{u}$  is the fluid velocity,  $T$  is the temperature,  $c_v$  is the specific heat at constant volume,  $\Phi$  is the Rayleigh dissipation function,  $I$  is the intensity of the laser beam, and  $\alpha$  is the absorption coefficient. The buoyancy force is represented in Eq. (1) by

$$(\rho - \rho_0) \underline{g} \equiv - \beta(T - T_0) \underline{g} \quad (4)$$

where  $\underline{g}$  is the acceleration of gravity, and  $\beta$  is the coefficient of expansion.

It is seen that the effect of the laser resides in (a) the heat disposition term  $\alpha I$  in Eq. (3) which modified the temperature distribution, and (b) the buoyancy force in the momentum equation (1), modifying the velocity distribution.

In problems of thermal convection and diffusion, it is customary to introduce the Boussinesq approximation, which neglects the acoustic or compressibility effect in all terms except the buoyancy term of Eq. (1). This approximation reduces Eq. (2) to

$$\nabla \cdot \underline{u} = 0 \quad (5)$$

We shall also neglect the Rayleigh dissipation function in Eq. (3). The system of Eqs. (1), (3), and (5) determine the modifications of the atmospheric motions by the heat deposition from the laser. It is to be remarked that in the absence of such a heat deposition, the above system of equations degenerates to the one governing the classical problem of thermal instability.

In the present study it is necessary to specify the heat deposition term  $\alpha I$  of Eq. (3). We note that  $I$  is related to the index of refraction  $n$  on the basis of photon conservation, and subsequently is related to the temperature by an equation of state. In principle, these relations can be derived from time-dependent microscopic models. However, their governing time scale is much smaller than the time scale of the turbulent motion, and consequently a quasi-stationary approximation, known as the adiabatic approximation, can be used.

This amounts to assuming that the heat deposition is spontaneous and localized. This requires that the approach to equilibrium of the heating process is faster than that of the turbulent process. This condition is usually fulfilled. Under such a circumstance we wish to find a relation analogous to that between the energy flux and the gradient from the thermodynamics of irreversible processes. A satisfactory derivation of such a relation requires the analysis of the equation of wave propagation in a medium of variable index of refraction and the study of the absorption or heat deposition during the propagation. A diffusion theory of absorption of the laser beam intensity on the basis of a stochastic



theory will be developed in a later report. In this paper we shall present a heuristic argument. To that end, we know that a variation of temperature gradient  $\delta(\nabla T)$ , which corresponds to a variation in refractive index gradient  $\delta(\nabla n)$ , will cause a thermal distortion of the beam intensity, expressed in the form

$$\frac{\delta I}{I} = \ell^2 D \cdot \frac{\nabla \delta n}{n} \quad (6a)$$

This is analogous to the relation between flux and gradient in the thermodynamics of irreversible processes, as mentioned earlier. Here  $\ell$  is a scale length characteristic of the propagation pathlength in the turbulent medium (it should not be confused with the inner and outer scales of turbulence), and  $D$  is a differential operator

$$D = \nabla + \nabla n I \quad (6b)$$

Formula (6a) is a variant of the equation developed by Gebhardt and Smith [8]. We may consider that Eq. (6a) serves as a relation of state which, when combined with the constitutive equation

$$\delta n = \left( \frac{\partial n}{\partial T} \right)_\rho \delta T \quad (7)$$

will give the equivalent value of the temperature increase  $\delta T$  corresponding to the energy deposition  $\delta I$ , as follows:

$$\delta I = A D \cdot \nabla \delta T \quad (8a)$$

with

$$A = - \frac{\ell^2}{n} \left( \frac{\partial n}{\partial T} \right)_\rho I \quad (8b)$$

We shall assume that a turbulent fluctuation follows such a variation, and shall rewrite Eq. (8a) as

$$I' = \bar{A} \bar{D} \cdot \nabla \theta \quad (9)$$

Here  $I'$  and  $\theta$  are turbulent fluctuations of radiation intensity and temperature, respectively, while  $I_0$  and  $T_0$  are the corresponding mean quantities; further,

$$\bar{D} = \nabla + \nabla \ln I_0, \quad \bar{A} = - \left[ \frac{\lambda^2}{n} \left( \frac{\partial n}{\partial T} \right)_\rho \right]_0 I_0 \quad (10)$$

It is to be noted that  $A$  and  $\bar{A} > 0$ , because  $(\partial n / \partial T)_\rho$  and  $(\partial \bar{n} / \partial T)_{\rho_0}$  are negative for most fluids.

The relationship between  $I'$  and  $\theta$ , as expressed by Eq. (9), is analogous to the formula for the beam intensity developed by Gebhardt and Smith for the geometric optics regime [8]. This formula has been applied by Collett, et. al., to the determination of intensity correlations of a laser beam in a turbulent medium [9]. The results obtained by this method are identical to the more rigorous method of wave propagation used by Ho, when the effects of diffraction are omitted [10]. That approximation is valid, because the optical length scale is very small compared to the scale of the turbulence.

The system of Eqs. (3) and (9) forms the fundamental differential equations governing the interaction of a laser beam with the atmospheric medium, as described by the variables  $u$ ,  $p$ ,  $T$ , and  $I'$ .

#### EQUATIONS OF TURBULENT MOTIONS

We decompose the four variables  $p$ ,  $T$ ,  $u$ , and  $I$  into a mean part and a fluctuation:

$$\begin{aligned} \underline{u} &= \underline{U} + \underline{u} \\ p &= p_0 + p' \\ T &= T_0 + \theta \\ I &= I_0 + I' \end{aligned} \quad (11)$$

In the absence of a mean wind,  $\underline{u}$  represents a velocity fluctuation.

By substituting Eq. (11) into Eqs. (1), (3), and (5), we find the following four equations determining the four variables  $\underline{u}'$ ,  $p'$ ,  $\theta$ , and  $I'$ :

$$\frac{\partial \underline{u}}{\partial t} + \underline{u} \cdot \nabla \underline{u} = - \frac{1}{\rho} \nabla p' + \nu \nabla^2 \underline{u} - \beta g \theta + \overline{\underline{u} \cdot \nabla \underline{u}} \quad (12)$$

$$\nabla \cdot \underline{u} = 0 \quad (13)$$

$$\frac{\partial \theta}{\partial t} + \underline{u} \cdot \nabla \theta = -u \nabla T_0 + \overline{\underline{u} \cdot \nabla \theta} + (k/\rho c_V) \nabla^2 \theta + (\alpha/\rho c_V) I' \quad (14)$$

$$I' = \bar{A} (\nabla^2 \theta - \Gamma \theta) \quad (15)$$

with

$$\Gamma \equiv - \nabla \ln I_0 \quad (16a)$$

where  $\Gamma^{-1}$  represents the scale of the laser beam.

As a result of the turbulent heating of the atmospheric medium by a beam, we expect a distribution of the intensity of temperature fluctuation, with

$$\Lambda = - \nabla \ln \overline{\theta^2} \quad (16b)$$

where  $\Lambda^{-1}$  is a scale in the profile of  $\overline{\theta^2}$  analogous to Eq. (16a).

It is well known that the buoyancy controls the large scale motions of the velocity spectrum. This effect is negligible for the inertia and dissipation subranges under the present investigation, enabling us to decouple Eqs. (12) and (13) from Eq. (14) and (15). Hence, we need only to be concerned with the thermal turbulence, and regard the velocity spectrum as a known quantity. In such a circumstance, and with a substitution of Eq. (15) into Eq. (14), we find the thermal turbulence governed by the following equation of heat transfer:

$$\frac{\partial \theta}{\partial t} + \underline{u} \cdot \nabla \theta = - \underline{u} \cdot \nabla T_0 + \nabla \cdot \overline{\underline{u} \theta} + (\lambda + \mu) \nabla^2 \theta - \mu \Gamma \cdot \nabla \theta \quad (17)$$

The left hand side of Eq. (17) represents the time rate of change and the convection of the temperature fluctuation. The right hand side contains a generation of temperature fluctuation from the velocity fluctuations in the presence of a mean temperature gradient, a conduction from the thermal flux by eddy motions, a molecular conduction with a molecular conductivity

$$\lambda = k/\rho c_v \quad (18)$$

a conductivity

$$\mu = \alpha \bar{A}/\rho c_v \quad (19)$$

from the absorption of radiation, and finally a convection associated with the beam inhomogeneity.

#### CASCADE DECOMPOSITION

For the determination of the turbulent spectrum, it is necessary to make a Fourier analysis of Eq. (19). Instead of studying the behavior of each Fourier component, we separate the fluctuations  $\theta$  and  $\underline{u}$  into two groups and write

$$\theta(t, \underline{x}) = \theta^{(0)}(t, \underline{x}) + \theta^{(1)}(t, \underline{x}) \quad (20)$$

and

$$\underline{u}(t, \underline{x}) = \underline{u}^{(0)}(t, \underline{x}) + \underline{u}^{(1)}(t, \underline{x}) \quad (21)$$

where we define

$$\theta^{(0)}(t, \underline{x}) = \int_0^k d\underline{k}' \theta(t, \underline{k}') e^{i\underline{k}' \cdot \underline{x}} \quad (22)$$

and

$$\theta^{(1)}(t, \underline{x}) = \int_k^\infty d\underline{k}' \theta(t, \underline{k}') e^{i\underline{k}' \cdot \underline{x}} \quad (23)$$

Similarly,

$$\underline{u}^{(0)}(t, \underline{x}) = \int_0^k d\underline{k}' \underline{u}(t, \underline{k}') e^{i\underline{k}' \cdot \underline{x}} \quad (24)$$

and

$$\underline{u}^{(1)}(t, \underline{x}) = \int_k^\infty d\underline{k}' \underline{u}(t, \underline{k}') e^{i\underline{k}' \cdot \underline{x}} \quad (25)$$

where  $\theta^{(0)}$ ,  $\theta^{(1)}$ ,  $\underline{u}^{(0)}$  and  $\underline{u}^{(1)}$  are truncated within the limits indicated by Eqs. (22) to (25).

In order to separate  $\theta^{(0)}$  and  $\theta^{(1)}$  from  $\theta$  in Eq. (20), and  $\underline{u}^{(0)}$  and  $\underline{u}^{(1)}$  from  $\underline{u}$  in Eq. (21), we make use of an ensemble average

$$\langle \cdot \cdot \cdot \rangle \quad (26)$$

which gives

$$\langle \theta \rangle^{(1)} = \theta^{(0)}, \quad \langle \theta^{(0)} \rangle^{(1)} = \theta^{(0)}, \quad \langle \theta^{(1)} \rangle^{(1)} = 0 \quad (27)$$

and

$$\langle \underline{u} \rangle^{(1)} = \underline{u}^{(0)}, \quad \langle \underline{u}^{(0)} \rangle^{(1)} = \underline{u}^{(0)}, \quad \langle \underline{u}^{(1)} \rangle^{(1)} = 0 \quad (28)$$

The decomposition expressed by Eqs. (20) and (21) implies that the fluctuations  $\theta$  and  $\underline{u}$  contain a zeroth rank and first rank, which represent macroscopic and random fluctuations, respectively, with the macroscopic quantity being of larger scale than the random quantity. The ensemble average, Eq. (26), of first rank is an average over many realizations with identical macroscopic conditions, as represented by  $\theta^{(0)}$  and  $\underline{u}^{(0)}$ , but with random  $\theta^{(1)}$  and  $\underline{u}^{(1)}$ . In this manner, the average over the random quantities vanishes and the same average over macroscopic quantities remains unaffected by Eqs. (27) and (28).

The ensemble average of zeroth rank

$$\langle \cdot \cdot \cdot \rangle \quad (29)$$

is equivalent to the global average denoted by a bar in a homogeneous turbulence.

By means of the cascade ensemble average, Eq. (26), we can screen out the ranks  $\theta^{(0)}$  and  $\theta^{(1)}$  from  $\theta$  in Eq. (20), and hence transform the equation of evolution of  $\theta$ , Eq. (19), into corresponding equations of evolutions of  $\theta^{(0)}$  and  $\theta^{(1)}$ . The details for this type of calculation can be found in the work of Tchen and will be omitted here [6]. The result of this calculation leads to

$$\begin{aligned} \frac{\partial \theta^{(0)}}{\partial t} + \underline{u}^{(0)} \cdot \nabla \theta^{(0)} - \overline{\underline{u}^{(0)} \cdot \nabla \theta^{(0)}} \\ = - \underline{u}^{(0)} \cdot \nabla T_0 + (\lambda + \mu) \nabla^2 \theta^{(0)} - \mu \underline{I} \cdot \nabla \theta^{(0)} - \langle \underline{u}^{(1)} \cdot \nabla \theta^{(1)} \rangle^{(1)} \end{aligned} \quad (30)$$

and

$$\frac{d\theta^{(1)}}{dt} \equiv \frac{\partial \theta^{(1)}}{\partial t} + \underline{u}^{(0)} \cdot \nabla \theta^{(0)} \quad (31)$$

$$= -\underline{u}^{(1)} \cdot \nabla (T_0 + \theta^{(0)}) + (\lambda + \mu) \nabla^2 \theta^{(1)} - \mu \underline{\Gamma} \cdot \nabla \theta^{(1)} + \langle \underline{u}^{(1)} \cdot \nabla \theta^{(1)} \rangle^{(1)}$$

noting that the addition of Eqs. (30) and (31) recovers Eq. (19). The last term on the right hand side of Eq. (31) will be omitted in the following, since it does not contribute to the formulation of correlations.

#### EQUATION OF SPECTRAL BALANCE

We multiply Eq. (30) by  $\theta^{(0)}$  and take an ensemble average of zeroth rank, as defined by Eq. (29). We then find

$$\begin{aligned} & \frac{1}{2} \frac{\partial}{\partial t} \langle \theta^{(0)2} \rangle^{(0)} + \frac{1}{2} \langle \underline{u}^{(0)} \cdot \nabla \theta^{(0)2} \rangle^{(0)} \\ &= -\langle \underline{u}^{(0)} \cdot \theta^{(0)} \rangle^{(0)} \cdot \nabla T_0 - \langle \theta^{(0)} \nabla \cdot \langle \underline{u}^{(1)} \theta^{(1)} \rangle^{(1)} \rangle^{(0)} \\ &+ (\lambda + \mu) \langle \theta^{(0)} \nabla^2 \theta^{(0)} \rangle^{(0)} - \frac{1}{2} \mu \underline{\Gamma} \cdot \nabla \langle \theta^{(0)2} \rangle^{(0)} \end{aligned} \quad (32)$$

or, rewritten as

$$\begin{aligned} & \frac{1}{2} \frac{\partial}{\partial t} \langle \theta^{(0)2} \rangle^{(0)} + \left\{ \frac{1}{2} \nabla \cdot \langle \underline{u}^{(0)} \theta^{(0)2} \rangle^{(0)} \right\} \\ &= -\langle \underline{u}^{(0)} \theta^{(0)} \rangle^{(0)} \cdot \nabla T_0 - \langle \theta^{(0)} \nabla \cdot \langle \underline{u}^{(1)} \theta^{(1)} \rangle^{(1)} \rangle^{(0)} \\ &- (\lambda + \mu) \langle (\nabla \theta^{(0)})^2 \rangle^{(0)} + \left\{ \frac{1}{2} (\lambda + \mu) \nabla^2 \langle \theta^{(0)2} \rangle^{(0)} \right\} \\ &+ \frac{1}{2} \mu \underline{\Gamma} \cdot \underline{\Lambda}^{(0)} \langle \theta^{(0)2} \rangle^{(0)} \end{aligned} \quad (33)$$

where

$$\underline{\Lambda}^{(0)} \equiv \nabla \otimes \nabla \langle \theta^{(0)2} \rangle^{(0)} \quad (34)$$



In order to simplify Eq. (33), we assume that the turbulent motions are locally homogeneous. This implies that the spectral distributions are similarly dependent on position through the intermediary of the parameters, which are given by the mean quantities, e.g., profiles of beam, mean temperature and intensity of thermal turbulence, and the rate of dissipation of the thermal turbulence. Under that hypothesis, we can neglect the terms between {...} in Eq. (33). The term proportional to  $\underline{\Gamma} \cdot \underline{\Lambda}^{(0)}$  is a coupling between the laser beam and thermal turbulence, and is therefore proportional to the product of the gradients in the beam profile and the turbulent intensity profile. In this connection, we approximate  $\Lambda^{(0)} \cong \Lambda$ , where  $\Lambda$  is defined by Eq. (16b), since the rank of Eq. (22) up to a wavenumber  $k$  lying in the inertia subrange embodies the major portion of the thermal energy.

With the above approximations, we reduce Eq. (34) to the following form:

$$\begin{aligned} \frac{1}{2} \frac{\partial}{\partial t} \langle \theta^{(0)2} \rangle^{(0)} = & - \langle \underline{u}^{(0)} \theta^{(0)} \rangle^{(0)} \cdot \nabla T_0 - \langle \nabla \cdot \langle \underline{u}^{(1)} \theta^{(1)} \rangle^{(1)} \theta^{(0)} \rangle^{(0)} \\ & - (\lambda + \mu) \langle (\nabla \theta^{(0)})^2 \rangle^{(0)} + \gamma \langle \theta^{(0)2} \rangle^{(0)} \end{aligned} \quad (35a)$$

with

$$\gamma \equiv \mu \underline{\Gamma} \cdot \underline{\Lambda} \quad (35b)$$

We conclude that the rate of change of thermal energy  $\langle \theta^{(0)2} \rangle^{(0)}$  is governed by a production function  $-\langle \underline{u}^{(0)} \theta^{(0)} \rangle^{(0)} \cdot \nabla T_0$ , a transfer function  $-\langle \nabla \cdot \langle \underline{u}^{(1)} \theta^{(1)} \rangle^{(1)} \theta^{(0)} \rangle^{(0)}$ , a dissipation function  $-(\lambda + \mu) \langle (\nabla \theta^{(0)})^2 \rangle^{(0)}$ , combining the effects of molecular conduction and the absorption of radiation, and finally a source function  $\gamma \langle \theta^{(0)2} \rangle^{(0)}$  from the laser beam.

#### HEAT FLUX AND EDDY CONDUCTIVITY

In Eq. (35) there occurs a term,

$$\langle \underline{u}^{(1)} \theta^{(1)} \rangle^{(1)} \quad (36)$$

called eddy "thermal flux" of first rank, and a similar term of zeroth rank,

$$\langle \underline{u}^{(0)} \theta^{(0)} \rangle^{(0)} = \langle \underline{u} \theta \rangle - \langle \underline{u}^{(1)} \theta^{(1)} \rangle^{(1)} \quad (37)$$

The statistical study of molecular transport processes can be based upon a Langevin equation, which describes the time evolution of a fluctuation in the Lagrangian representation. We shall generalize the above Langevin equation to apply to a turbulent transport. In order to do this, we note that Eq. (31) may serve this purpose by considering the variable  $t$  in the Lagrangian time derivative as a single variable, since this is the requirement for the calculation of the transport properties. Effectively, we regard the Fourier form of Eq. (31) as a turbulent Langevin equation with  $\underline{k}$  as a parameter. It will be written as follows:

$$\frac{d\theta^{(1)}(t, \underline{k})}{dt} = - \underline{u}^{(1)}(t, \underline{k}) \cdot \nabla(T_0 + \theta^{(0)}) - \lambda^* k^2 \theta^{(1)}(t, \underline{k}) \quad (38)$$

where  $T_0$  and  $\theta^{(0)}$  have weaker inhomogeneities than  $\theta^{(1)}$  and  $\underline{u}^{(1)}$ , and  $\lambda^* k^2$  represents

$$\lambda^* k^2 = \lambda k^2 + \mu(k^2 + \underline{\Gamma} \cdot \underline{\Lambda}) \quad (39)$$

A formal solution of Eq. (38) is

$$\begin{aligned} \theta^{(1)}(t, \underline{k}) = & - \nabla(T_0 + \theta^{(0)}) \cdot \int_0^t dt' \exp[-\lambda^* k^2 (t-t')] \underline{u}^{(1)}(t', \underline{k}) \\ & + \theta^{(0)}(t=0, \underline{k}) \exp(-\lambda^* k^2 t) \end{aligned} \quad (40)$$

Here we have put  $\nabla(T_0 + \theta^{(0)})$  outside of the integral, because it varies slowly with time. It follows from Eq. (40) that

$$\langle u_j^{(1)}(t, \underline{k}) \theta^{(1)}(t, \underline{k}) \rangle^{(1)} = - n_{sj}^{(1)}(\underline{k}) \frac{\partial(T_0 + \theta^{(0)})}{\partial x_s} \quad (41)$$

where

$$n_{sj}^{(1)}(\underline{k}) = \int_0^t dt' \exp[-\lambda^* k^2 (t-t')] \langle u_s^{(1)}(t', \underline{k}) u_j^{(1)}(t', -\underline{k}) \rangle^{(1)} \quad (42)$$

noting that

$$\langle \theta^{(1)}(0, \underline{k}) \theta^{(1)}(t, -\underline{k}) \rangle^{(1)} = 0 \quad (43)$$

for  $t$  larger than the correlation time. By the same token we can replace the upper limit  $t$  by  $\infty$  in Eq. (42) to give

$$\eta_{sj}^{(1)}(k) = \int_0^{\infty} dt' \exp[\lambda^* k^2 (t-t')] \langle u_s^{(1)}(t', k) u_j^{(1)}(t, -k) \rangle^{(1)} \quad (44)$$

For an isotropic eddy conductivity we have

$$\eta_{sj}^{(1)} = \eta^{(1)} \delta_{sj} \quad (45)$$

and

$$\eta^{(1)}(k) = \frac{1}{3} \int_0^{\infty} dt' \exp[\lambda^* k^2 (t-t')] \langle u^{(1)}(t', k) u^{(1)}(t, -k) \rangle^{(1)} \quad (46)$$

This reduces the thermal flux, Eq. (36), to

$$\langle u_j^{(1)}(t, -k) \theta^{(1)}(t, k) \rangle^{(1)} = - \eta^{(1)}(k) \frac{\partial(T_0 + \theta^{(0)})}{\partial x_j} \quad (47)$$

in  $k$  space, or to

$$\langle u_j^{(1)}(t, x) \theta^{(1)}(t, x) \rangle^{(1)} = - \eta^{(1)} \frac{\partial(T_0 + \theta^{(0)})}{\partial x_j} \quad (48)$$

where  $\eta^{(1)}$  is the eddy conductivity in  $x$  space.

The turbulent transport relations, Eqs. (41) and (48), take the form analogous to the phenomenological relations of Onsager in the thermodynamics of irreversible phenomena, stating that any flux is caused by the contribution of a force or gradient with a proportionality constant called the transport coefficient. Here we have derived such relations by means of a generalized Langevin equation, Eq. (38), applicable to turbulent motions; hence, we have determined the relevant forces and transport coefficient, as given by Eqs. (41), (44), (46), and (48). A precise determination of the structure of  $\eta^{(1)}$  in terms of the spectral function  $F(k)$ , such that

$$\frac{1}{2} \langle u^{(0)2} \rangle^{(0)} = \int_0^k dk' F(k') \quad (49)$$

is given by Tchen [6]. We shall not enter into its detailed derivation, but simply write the following result:

$$\eta' = c_2 \int_k^{\infty} dk' \frac{F(k')}{w^{(1)}(k')} \quad (50)$$

Here the relaxation frequency is

$$\begin{aligned} w^{(1)}(k') &= k'^2 (\lambda^* + \eta^{(1)}) \\ &\approx k'^2 \eta^{(1)} \end{aligned} \quad (51)$$

since the molecular conductivity  $\lambda^*$  can be assumed to be smaller than the eddy conductivity. The integral equation, Eq. (50), with the relaxation frequency given by Eq. (51), leads to the following solution:

$$\eta^{(1)} = \left[ 2 c_2 \int_k^{\infty} dk' F(k') k'^{-2} \right]^{\frac{1}{2}} \quad (52)$$

where  $c_2$  is a numerical coefficient evaluated for three-dimensional turbulence to be [6]

$$c_2 = \frac{4}{3} \quad (53)$$

#### EQUILIBRIUM RANGE OF THE SPECTRUM

Along with the spectral fluctuation distribution  $F(k)$  for the velocity, Eq. (49), we introduce a spectral distribution  $G(k)$  for the temperature which is defined to be

$$\frac{1}{2} \langle \theta^{(0)2} \rangle^{(0)} = \int_0^k dk' G(k') \quad (54)$$

The use of Eq. (48) permits the transfer function in Eq. (35) to be rewritten as

$$\begin{aligned}
\langle \nabla \cdot \langle u^{(1)} \theta^{(1)} \rangle^{(1)} \theta^{(0)} \rangle^{(0)} &= - \eta^{(1)} \langle \theta^{(0)} \nabla^2 (T_0 + \theta^{(0)}) \rangle^{(0)} \\
&= - \eta^{(1)} \langle \theta^{(0)} \nabla^2 \theta^{(0)} \rangle^{(0)} \\
&= \eta^{(1)} \langle (\nabla \theta^{(0)})^2 \rangle^{(0)} - \frac{1}{2} \eta^{(1)} \nabla^2 \langle \theta^{(0)2} \rangle^{(0)} \\
&= \eta^{(1)} \langle (\nabla \theta^{(0)})^2 \rangle^{(0)} \quad (55)
\end{aligned}$$

with the application of local homogeneity of turbulence.

If we introduce the notations

$$J^0 \equiv \langle (\nabla \theta^{(0)})^2 \rangle^{(0)} = 2 \int_0^k dk' k'^2 G(k') \quad (56)$$

and

$$\eta = \eta^{(0)} + \eta^{(1)}$$

we can rewrite the equation of spectral balance, Eq. (35a), in the form:

$$\begin{aligned}
\frac{\partial}{\partial t} \int_0^k dk' G(k') &= - (\eta - \eta^{(1)}) (\nabla T_0)^2 - (\lambda + \mu) J^0 - \eta^{(1)} J^0 \\
&+ \gamma \int_0^k dk' G(k') \quad (58)
\end{aligned}$$

or

$$\begin{aligned}
\frac{\partial}{\partial t} \int_0^k dk' G(k') &= (\eta - \eta^{(1)}) \bar{J} - (\lambda_0 + \eta^{(1)}) J^0 \\
&+ \gamma \int_0^k dk' G(k') \quad (59)
\end{aligned}$$

where

$$\overline{J} = (\nabla T_0)^2 \quad (60a)$$

and

$$\lambda_0 = \lambda + \mu \quad (60b)$$

are called thermal vorticity and total conductivity, respectively. The total conductivity includes a molecular conductivity  $\lambda$  and a conductivity  $\mu$  enhanced by the beam. Use has been made of Eqs. (56) and (57).

For  $k = \infty$ , we reduce Eq. (59) to

$$\frac{\partial}{\partial t} \int_0^k dk' G(k') = \eta \overline{J} - \lambda_0 J + \gamma \int_0^k dk' G(k') \quad (61)$$

as

$$\eta^{(1)}(k=\infty) = 0, \quad J = J^0(k=\infty) \quad (62)$$

The equilibrium range of the spectrum is defined as that range covering sufficiently large wave numbers such that, in the integral term on the left hand side of Eq. (59), the upper limit  $k$  may be replaced by  $\infty$ . Under that circumstance, and by subtracting Eq. (59) from Eq. (61), we obtain the equation of spectral balance in the equilibrium range,

$$\eta^{(1)} \overline{J} + (\lambda_0 + \eta^{(1)}) J^0 + \gamma \int_k^\infty dk' G(k') = \lambda_0 J \quad (63)$$

#### THE SPECTRUM IN THE ABSENCE OF BUOYANCY

The universal range of the spectrum is usually divided into the following subranges in the increasing orders of wavenumbers: buoyancy, inertia, and dissipation. As mentioned earlier, the buoyancy subrange reigns over the largest scale of the spectrum, and will not be included in the present study. Consequently, the velocity spectrum in the inertial subrange is given as the Kolmogorov law,



$$F = A \epsilon^{2/3} k^{-5/3} \quad (64a)$$

Here  $\epsilon$  is the rate of energy dissipation and the numerical coefficient  $A$  is [6]

$$A = 1.58 \quad (64b)$$

The spectrum, Eq. (64a), is the most commonly adopted law for the description of the interaction of a propagating laser beam in a turbulent atmosphere. Following that law, we find the eddy conductivity from Eq. (52) to be

$$\eta^{(1)} = c_3 \epsilon^{1/3} k^{-4/3} \quad (65a)$$

with [6]

$$c_3 = \left(\frac{3}{4} A c_2\right)^{\frac{1}{2}} \approx 1.26 \quad (65b)$$

For the derivation of the spectral function  $G(k)$  for the temperature fluctuations, we consider Eq. (63), which we rewrite in the form

$$(\lambda_0 + \eta^{(1)}) (\bar{J} + J^0) + \gamma \int_k^\infty dk' G(k') = \lambda_0 (\bar{J} + J) \quad (66)$$

or, upon dividing by  $\lambda_0 + \eta^{(1)}$ ,

$$\bar{J} + J^0 + \gamma (\lambda_0 + \eta^{(1)})^{-1} \int_k^\infty dk' G(k') = \lambda_0 (\lambda_0 + \eta^{(1)})^{-1} (\bar{J} + J) \quad (67)$$

We shall introduce the following notations:

$$H(k) = \int_k^\infty dk' G(k') \quad (68a)$$

$$P = \frac{\Phi}{1-\Phi} \frac{d}{dk} \ln (\lambda_0 + \eta^{(1)}) \quad (68b)$$

$$Q = \frac{\lambda_0(\bar{J} + J)}{2(\lambda_0 + \eta^{(1)})k^2(1-\Phi)} \frac{d}{dk} \ln(\lambda_0 + \eta^{(1)}) \quad (68c)$$

$$\Phi = \frac{\gamma}{2k^2(\lambda_0 + \eta^{(1)})} \quad (68d)$$

and transform the integral equation, Eq. (67), into the following differential equation

$$\frac{dH}{dk} + P H = Q \quad (69)$$

with the solution

$$\begin{aligned} G(k) &= \frac{d}{dk} \int_k^\infty dk' Q(k') \exp\left[-\int_{k'}^k dk'' P(k'')\right] \\ &= -Q(k) - P(k) \int_k^\infty dk' Q(k') \exp\left[-\int_{k'}^k dk'' P(k'')\right] \end{aligned} \quad (70a)$$

or, in an approximate form,

$$G(k) = -Q(k) - P(k) \int_k^\infty dk' Q(k') \quad (70b)$$

valid for a weak beam factor  $\gamma$ , or  $\Phi$ .

Equation (70b), which is valid for all subranges, appears in a form too complex for interpretation. Therefore we shall consider them separately. We find:

(a) In the inertia subrange

$$G(k) = \frac{2}{3c_3} \epsilon_\lambda \epsilon^{-1/3}(1-\Phi_i) k^{-5/3} \quad (71)$$

with

$$\phi_i = (2c_3)^{-1} (\gamma^3/\epsilon)^{1/3} k^{-2/3} \quad (72)$$

(b) In the dissipation subrange

$$G(k) = \frac{2c_3}{3} \epsilon^{1/3} \epsilon_\lambda \lambda_0^{-2} (1 + \phi_d) k^{-13/3} \quad (73)$$

with

$$\phi_d = (\gamma/2\lambda_0) k^{-2} \quad (74)$$

In the above,  $\epsilon$  and  $\epsilon_\lambda$  are rates of dissipations

$$\epsilon = \nu \overline{(\nabla u)^2} \quad (75)$$

$$\epsilon_\lambda = \lambda_0 \overline{(\nabla \theta)^2} \equiv \lambda_0 J \quad (76)$$

for the fluid and temperature fluctuations, respectively.

The transition from the inertia to the dissipation subranges occurs at a critical wavenumber

$$k_\lambda = c_3^{3/4} (\epsilon/\lambda_0^3)^{1/4} \quad (77)$$

We conclude that the effect of the beam factor is to decrease the power of  $-5/3$  in the inertia subrange and steepen the power of  $-13/3$  in the dissipation subrange. The laser heating increases  $\lambda_0$  and  $J$ .

#### CONCLUSIONS

In the present work we have shown that a laser can induce temperature fluctuations which, because of their nonlinear nature, can lead to turbulence. Because the hydrodynamic system is nonlinear, it generates a "hierarchy," i.e., an infinite sequence of equations of ever increasing order of correlations. This is closed by the method of cascade.

The universal subrange, which is divided into an inertia subrange and a dissipation subrange, is not controlled by the buoyancy effect, so that the spectrum of velocity fluctuations follows the Kolmogorov law. The spectrum of temperature fluctuations is derived for the inertia and dissipation subranges, and includes the effects of enhanced diffusion and inhomogeneity of the laser beam. The resulting equation of spectral balance is in the form of a nonlinear integro-differential equation and determines the spectral distribution of the temperature fluctuations; it is solved for a turbulent state in statistical equilibrium. It contains a production function due to the beam inhomogeneity, a transfer function which describes the transfer of energy across the spectrum from large eddies into small eddies, and finally a dissipation function which determines the dissipation of small eddies by molecular motions.

If the temperature variable is considered as a passive scalar driven by a fluid turbulence obeying a Kolmogorov, it is known, by dimensional theories, that the temperature fluctuation will also follow the Kolmogorov law in the inertia subrange, and a  $k^{-13/3}$  law in the dissipation subrange. By means of a cascade theory, we have derived analytically the temperature spectra which confirm the results of the dimensional theories. The heating by a laser beam introduces the following two effects:

(1) In view of the increased conductivity by the absorption, the rate of thermal dissipation  $\epsilon_\lambda$  increases, and, consequently, the temperature spectrum has a higher value in the inertia subrange, and a lower value in the dissipation subrange. For the same reason, the critical wavenumber separating the two subranges occurs at a lower value.

(2) The laser beam has an inhomogeneous profile, denoted by the beam factor  $\gamma$  (see Eq. (35b)). Since the inhomogeneity is usually weak, the powers  $-5/3$  and  $-13/3$  are modified slightly, with a negative and a positive correction term in the inertia and dissipation laws, respectively (see Eqs. (71) and (73)).

#### LITERATURE CITED

1. Tatarski, V. I., 1961, Wave Propagation in a Turbulent Medium, McGraw-Hill Book Company, Inc., New York.
2. Strohbehn, J. W., 1921, Progress in Optics, North-Holland Amsterdam, Vol IX.
3. Chodzko, R. A., and Shao-Chi Lin, 1970, Appl. Phys. Lett., 16, 434.
4. Wagner, W. G., and J. H. Marburger, 1971, Optics Comm., 3, 19.
5. Prasad, C. R., 1972, Appl. Phys. Lett., 20, 209.
6. Tchen, C. M., 1973, "Repeated Cascade Theory of Hydrodynamic Turbulence," Phys. Fluids, 16, 13.
7. Tchen, C. M., 1970, IEEE Trans. On Elec. Dev., ED-17, 247.
8. Gebhardt, F. G., and D. C. Smith, 1971, IEEE J. Quant. Elec., QE-7, 63.
9. Collett, E., R. Alferness, and T. Forbes, 1973, Appl. Opt., 12, 1061.
10. Ho, T. L., 1969, J. Opt. Soc. Am., 59, 385.
11. Kogelnik, H., and T. Li, 1964, Proc. IEEE, 54, 1312.



## ATMOSPHERIC SCIENCES RESEARCH PAPERS

1. Dickson, David H., and James R. Oden, Fog Dissipation Techniques for Emergency Use, January 1972, ECOM-5420.
2. Pena, Ricardo, L. J. Rider, and Manuel Armendariz, Turbulence Characteristics at Heights of 1.5, 4.0, and 16.0 Meters at White Sands Missile Range, New Mexico, January 1972, ECOM-5421.
3. Miller, Walter B., On Calculation of Dynamic Error Parameters for the Rawinsonde and Related Systems, January 1972, ECOM-5422.
4. Richter, Thomas J., Rawin Radar Targets, February 1972, ECOM-5424.
5. Blanco, Abel J., and L. E. Traylor, Statistical Prediction of Impact Displacement due to the Wind Effect on an Unguided Artillery Rocket During Powered Flight, March 1972, ECOM-5427.
6. Williams, B. H., R. O. Olsen, and M. D. Kays, Stratospheric-Ionospheric Interaction During the Movement of a Planetary Wave in January 1967, March 1972, ECOM-5428.
7. Mason, J. B., and J. D. Lindberg, Laser Beam Behavior on a Long High Path, April 1972, ECOM-5430.
8. Dickson, D. H., Fogwash I An Experiment Using Helicopter Downwash, April 1972, ECOM-5431.
9. Schleusener, Stuart A., and Kenneth O. White, Applications of Dual Parameter Analyzers in Solid-State Laser Tests, April 1972, ECOM-5432.
10. Smith, Jack, Thomas H. Pries, Kenneth J. Skipka, and Marvin Hamiter, Optical Filter Function for a Folded Laser Path, April 1972, ECOM-5433.
11. Pries, Thomas H., Jack Smith, and Marvin Hamiter, Some Observations of Meteorological Effects on Optical Wave Propagation, April 1972, ECOM-5434.
12. Cantor, Israel, Survey of Studies of Atmospheric Transmission from a  $4\pi$  Light Source to a  $2\pi$  Receiver, April 1972, ECOM-5435.
13. Lowenthal, Marvin J., The Accuracy of Ballistic Density Departure Tables 1934-1972, April 1972, ECOM-5436.
14. Barr, William C., Accuracy Requirements for the Measurement of Meteorological Parameters Which Affect Artillery Fire, April 1972, ECOM-5437.
15. Duchon, C. E., F. V. Brock, M. Armendariz, and J. D. Horn, UVW Anemometer Dynamic Performance Study, May 1972, ECOM-5440.
16. Lee, Robert P., Artillery Sound Ranging Computer Simulations, May 1972, ECOM-5441.
17. Doswell, C. A., III, A Two-Dimensional Short-Range Fog Forecast Model, May 1972, ECOM-5443.
18. Doswell, C. A., III, An Iterative Method for Saturation Adjustment, June 1972, ECOM-5444.
19. Gomez, R. B., Atmospheric Effects for Ground Target Signature Modeling I. Atmospheric Transmission at 1.06 Micrometers, June 1972, ECOM-5445.
20. Bonner, R. S., A Technical Manual on the Characteristics and Operation of a Cloud Condensation Nuclei Collection/Detection/Recording Instrument, June 1972, ECOM-5447.
21. Waite, R. W., Reliability Test of Electronics Module of Meteorological Measuring Set AN/TMQ-22(XE-4), June 1972, ECOM-5448.
22. Horn, J. D., R. D. Reynolds, and T. H. Vonder Haar, Survey of Techniques Used in Display of Sequential Images Received from Geostationary Satellites, June 1972, ECOM-5450.
23. Collett, Edward, "Analysis of the Interaction of Partially Polarized Light with Dielectric Plates," ECOM-5451, July 1972 (AD 746 962).
24. Collett, Edward, "Mathematical Formulation of the Interference Laws of Fresnel and Arago," ECOM-5452, July 1972 (AD 744 568).
25. Marchgraber, Reinhold M., "The Development of Standard Instruments for Radiation Measurements," ECOM-5453, July 1972 (AD 746 963).
26. Marchgraber, Reinhold M., "An Analogue Technique for the Improvement of the Frequency Response of a Thermal Radiometer," ECOM-5454, July 1972 (AD 747 049).



27. Bonner, R. S., and H. M. White, Microphysical Observations of Fog in Redwood Valley near Arcata-Eureka, California, July 1972, ECOM-5455.
28. Collett, E., and R. Alferness, "Depolarization of a Laser Beam in a Turbulent Medium," ECOM-5458, August 1972 (AD 747 886).
29. Cantor, Israel, and Michael Hudlow, Rainfall Effects on Satellite Communications in the K, X, and C Bands, July 1972, ECOM-5459.
30. Randhawa, J. S., Variations in Stratospheric Circulation and Ozone During Selected Periods, August 1972, ECOM-5460.
31. Seagraves, Mary Ann B., A General-Purpose Meteorological Rocket Data Reduction Program, August 1972, ECOM-5463.
32. Loveland, R. B., J. L. Johnson, and B. D. Hinds, Differential Magnetic Measurements Near Cumulus Clouds, August 1972, ECOM-5463.
33. Nordquist, Walter S., Jr., and Dickson, David H., Helicopter Downwash Applied to Fog Clearing: A Status Summary, October 1972, ECOM-5465.
34. Rider, L. J., Armendariz, Manuel, Mean Horizontal Wind Speed and Direction Variability at Heights of 1.5 and 4.0 Meters Above Ground Level at WSMR, New Mexico, October 1972, ECOM-5466.
35. Engebos, Bernard F., Effects of Vertical Wind on Tactical Rockets and Artillery Shells, November 1972, ECOM-5467.
36. Armendariz, M., and James R. Scoggins, Characteristics of the Turbulent Diffusion Parameters as Related to Stability, November 1972, ECOM-5468.
37. White, Kenneth O., James B. Gillespie, Robert Armstrong, and Larry E. Traylor, State-of-the-Art Survey of Meteorological Instrumentation Required to Determine Atmospheric Effects on Airborne Laser Tests, November 1972, ECOM-5469.
38. Duncan, Louis D., and Barbara J. Richart, Mesoscale Variation of Spectral Radiance Near 15 Micrometers, December 1972, ECOM-5470.
39. Schleusener, Stuart A., and Kenneth O. White, Solid-State Laser Multiwavelength Identification and Display System, January 1973, ECOM-5473.
40. Nordquist, Walter S., Jr., Numerical Approximations of Selected Meteorological Parameters Related to Cloud Physics, March 1973, ECOM-5475.
41. Maynard, Harry, An Evaluation of Ten Fast Fourier Transform (FFT) Programs, March 1973, ECOM-5476.
42. Gerber, Hermann E., Freezing Water with Sized Agl Particles Part I: A Survey, March 1973, ECOM-5477.
43. Gerber, Hermann E., Freezing Water with Sized Agl Particles Part II: Theoretical Considerations, March 1973, ECOM-5478.
44. D'Arcy, Edward M., Accuracy Study of the T-9 Radar, March 1973, ECOM-5480.
45. Miller, Walter B., An Investigation of Errors Introduced into Meteorological Calculations Through Use of the Hypsometric Equation, April 1973, ECOM-5481.
46. Miller, Walter B., On Indirect Pressure Estimation from Measurements of Height and Temperature, April 1973, ECOM-5482.
47. Rinehart, G. S., and R. P. Lee, Apparent 7-Day Period in Visibility Data at White Sands Missile Range, New Mexico, April 1973, ECOM-5484.
48. Swingle, Donald M., and Raymond Bellucci, Improved Sound Ranging Location of Enemy Artillery, April 1973, ECOM-5486.
49. Lindberg, James D., and David G. Snyder, Determination of the Optical Absorption Coefficient of Powdered Materials Whose Particle Size Distribution and Refractive Indices Are Not Known, April 1973, ECOM-5487.
50. Rubio, Roberto, "Winter Anomalous Radio Wave Absorption Days at 32° N Latitude and Prevalent Solar Radiation," ECOM-5488, May 1973.
51. Nordquist, W. S., "Data from a Fog Dispersal Experiment Using Helicopter Downwash," ECOM-5456, May 1973.
52. Shinn, Joseph H., "Optimum Wind Soundings and Army Fallout Prediction Accuracies," ECOM-5489, May 1973.
53. Miller, Walter B., and Donald R. Veazey, "An Integrated Error Description of Active and Passive Balloon Tracking Systems," ECOM-5500, June 1973.
54. Doll, Barry, "The Potential Use of Polarized Reflected Light in the Remote Sensing of Soil Moisture," ECOM-5501, July 1973.

55. Duncan, Louis D., "A Geometric Investigation of the Effect of Viewing Angle on the Ground Resolution of Satellite-Borne Sensors," ECOM-5502, July 1973.
56. Miller, Walter B., and Donald R. Veazey, "Vertical Efficiency of Active and Passive Balloon Tracking Systems from a Standpoint of Integrated Error," ECOM-5503, August 1973.
57. Richter, Thomas J., "Design Considerations for the Calculator, Altitude ML-646(XE-1)/UM," ECOM-5504, August 1973.
58. Randhawa, J. S., "Measurement of Total Ozone at WSMR, NM," ECOM-5505, August 1973.
59. Mason, James B., "Lidar Measurement of Temperature: A New Approach," ECOM-5506, August 1973.
60. Randhawa, J. S., "An Investigation of Solar Eclipse Effect on the Subpolar Stratosphere," ECOM-5507, September 1973.
61. Wade, Gerald T., Teddy L. Barber, and Robert Armstrong, "A Proposed Versatile Photon Counter System for Laser Radar," ECOM-5508, September 1973.
62. Lentz, W. J., "A New Method of Computing Spherical Bessel Functions of Complex Argument with Tables," ECOM-5509, September 1973.
63. White, Kenneth O., Gerald T. Wade, and Stuart A. Schleusener, "The Application of Minicomputers in Laser Atmospheric Experiments," ECOM-5510, September 1973.
64. Collett, E., R. Alferness, and T. Forbes, "Log-Intensity Correlations of a Laser Beam in a Turbulent Medium," ECOM-5511, September 1973.
65. Robbiani, Raymond L., "Design Concept of a Forward Area Rawinsonde set (FARS)," ECOM-5512, October 1973.
66. Stone, William J., "The Hydrometeorologic Ground Truth Facility at White Sands Missile Range, New Mexico," ECOM-5513, October 1973.
67. Lacy, Claud H., "Objective Analysis Using Modeled Space-Time Covariances: An Evaluation," ECOM-5514, October 1973.
68. Stipanuk, G. S., "Algorithms for Generating a SKEW-T, log p DIAGRAM and Computing Selected Meteorological Quantities," ECOM-5515, October 1973.
69. Sharenow, Moses, "Test and Evaluation of Natural Rubber Spherical Balloons," ECOM-5516, October 1973.
70. White, Kenneth O., and Gerald T. Wade, "Remote Sensing of Atmospheric Methane Using an Erbium/YAG Laser: A Feasibility Study," ECOM-5517, November 1973.
71. Tchen, Chan Mou, and Edward Collett, "The Spectrum of Laser-Induced Turbulence," ECOM-5518, February 1974.



## DISTRIBUTION LIST

Commanding Officer  
Picatinny Arsenal  
ATTN: SMUPA-VA6, Bldg 59  
Dover, NJ 07801  
2

Chief, Analytical Sci Off  
Biological Def Rsch Lab  
ATTN: AMXBL-AS  
Dugway, Utah 84022

Commanding Officer  
Fort Detrick  
ATTN: Tech Library  
SMUFD-AE-T  
Frederick, MD 21701

Commanding Officer  
Edgewood Arsenal  
ATTN: SMUEA-TSTI-TL  
Edgewood Arsenal, MD 21010

Commanding Officer  
US Army Nuclear Def Lab  
ATTN: Library  
Edgewood Arsenal, MD 21010  
2

Commanding Officer  
Aberdeen Proving Ground  
ATTN: Tech Lib, Bldg 313  
Aberdeen Proving Ground, MD 21005  
2

Commanding Officer  
US Army Ballistics Rsch Lab  
ATTN: Tech Info Div  
Aberdeen Proving Ground, MD 21005

Dir of Meteorological Sys  
Office of Applications (FM)  
Natl Aero & Space Admin  
Washington, D. C. 20546

Director  
US Weather Bureau  
ATTN: Librarian  
Washington, D. C. 20235

Dr. A. D. Belmont  
Research Div  
Control Data Corp  
Minneapolis, Minn 55440

Chief, Aerospace Environ Div  
CODE S&E-AERO-Y  
NASA  
Marshall Space Flight Center, Alabama 35802

Commandant  
US Army Field Artillery School  
ATTN: ATSFA-G-RA-RK  
Ft. Sill, OK 73503

Technical Library  
WSMR, New Mexico 88002  
3

Natl Aeronautics & Space Admin  
George C Marshall Space Flight Center  
Aero-Astrodynamic Laboratory  
ATTN: S&E-AERO-YS/Mr. D. Camp  
Marshall Space Flight Center, Alabama 35812

Dr. F. de Percin  
Chief, Atmospheric Sci Branch  
Environmental Sciences Division  
US Army Research Office  
3045 Columbia Pike  
Arlington, VA 22204

Geophysics Officer  
Code 3250  
Pacific Missile Range  
Point Mugu, CA 93042

US Army Liaison Office  
MIT, Bldg 25, Rm 131  
77 Massachusetts Avenue  
Cambridge, Mass 02139

The Library of Congress  
ATTN: Exchange & Gift Div  
Washington, D. C. 20540  
2

Head, Atmospheric Sci Section  
National Science Foundation  
1800 G Street, N.W.  
Washington, D. C. 20550

Director, Systems R&D Service  
Federal Aviation Admin  
800 Independence Avenue S.W.  
Washington, D. C. 20590

Technical Processes Br - D823  
Room 806, Libraries Div - NOAA  
8060 13th Street  
Silver Spring, MD 20910

William A. Main  
USDA Forest Service  
215 Natural Resources Building  
Michigan State University  
East Lansing, Mich 48823

NASA Headquarters  
Meteorology & Sounding Branch  
(CODE SAM)  
Space Applications Programs  
Washington, D. C. 20546

Chief, Fallout Studies Branch  
Division of Biology & Medicine  
Atomic Energy Commission  
Washington, D. C. 20545

Director  
Atmospheric Physics & Chem Lab  
Room 31  
NOAA Dept of Commerce  
Boulder, Colorado 80302

Natl Center for Atmos Research  
NCAR Library, Acquisitions-Rept  
Boulder, Colorado 80302

E&R Center, Bureau of Reclamation  
ATTN: D-751, Bldg 67  
Denver, Colorado 80225

Natl Oceanographic Data Center - D722  
Natl Oceanic & Atmos Admin  
US Dept of Commerce  
Rockville, MD 20852

Institute of Sci & Technology  
The University of Michigan  
Box 618, (IRIA Library)  
Ann Arbor, Mich 48107

NASA Scientific & Tech Info Fac  
ATTN: Acquisitions Br (S-AK/DL)  
P. O. Box 33  
College Park, MD 20740  
2

Battelle Memorial Institute  
Strategic Technology Office  
Information Analysis Center  
505 King Avenue  
Columbus, Ohio 43201

Infrared Info & Analysis Center  
University of Michigan  
Institute of Science & Technology  
Box 618  
Ann Arbor, Mich 48107

VELA Seismic Info Center  
University of Michigan  
Box 618  
Ann Arbor, Mich 48107

Commanding General  
US Army Elect Command  
ATTN: AMSEL-RD-LNF  
Ft Monmouth, NJ 07703

Commanding Officer  
US Army Engineer Topographic Labs  
Ft Belvoir, VA 22060

CO, USA Foreign Sci & Tech Center  
ATTN: AMXST-ISI  
220 7th Street, NE  
Charlottesville, VA 22901

Commanding General  
US Army Elect Command  
ATTN: AMSEL-BL  
Ft Monmouth, NJ 07703  
3

Commanding General  
US Army Elect Command  
ATTN: AMSEL-BL-AP  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-BL-TE  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-BL-FM-A  
Ft Monmouth, NJ 07703

Environmental Protection Agency  
Division of Meteorology  
Research Triangle Park, North Carolina 27711

Commandant  
US Army Field Artillery School  
ATTN: Dept of Target Acquisition  
Ft Sill, OK 73503

Commandant  
US Army Field Artillery School  
ATTN: Met. Division  
Ft Sill, OK 73503

Armament Dev & Test Center  
ADTC(DLOSL)  
Eglin AFB, FL 32542

Gary D. Atkinson, LtC USAF  
Chief, Technical Services Div  
DCS/Aerospace Sciences  
ATTN: AWS/DNTI  
Scott AFB, IL 62225

Director  
National Security Agcy  
ATTN: TDL  
Ft George G Meade, MD 20755

Commander, Naval Ship Sys Command  
Tech Library, RM 3 S-08  
Washington, D. C. 20360

Commander  
Naval Weather Ser Command  
Washington Navy Yard (Bldg 200)  
Washington, D. C. 20390

Commanding Officer  
Harry Diamond Laboratory  
ATTN: Library  
Washington, D. C. 20438

Rome Air Devel Center  
ATTN: Documents Library (TDLD)  
Griffiss AFB, NY 13440

Air Force Cambridge Resch Labs  
ATTN: LC(1124)  
L. G. Hanscom Field  
Bedford, Massachusetts 01730

Air Force Avionics Laboratory  
ATTN: AFAL/DOT, STINFO  
Wright-Patterson AFB, Ohio 45433  
2

HQ, AFCS(EICRW)  
Richards-Gebaur AFB, MO 64030

Ofc of Asst Ch of Staff for Intelligence  
Dept of the Army  
ATTN: ACSI-DD  
Washington, D. C. 20310  
2

Commanding General  
US Army Materiel Command  
ATTN: AMCRD-H  
Washington, D. C. 20315

Commanding General  
US Army Missile Command  
ATTN: AMSMI-RR, Dr. J. P. Hallows  
Redstone Arsenal, Alabama 35809

CG, US Army Missile Cmd  
Redstone Scientific Info Center  
ATTN: Chief, Document Section  
Redstone Arsenal, Alabama 35809  
2

Commanding General  
US Army Test & Eval Cmd  
ATTN: NBC Directorate  
Aberdeen Proving Ground, MD 21005

Commanding Officer  
USACDC FAA  
Ft Sill, OK 73503

Commanding Officer  
Frankford Arsenal  
ATTN: Library, H1300, Bl. 51-2  
Philadelphia, PA 19137

Commanding Officer  
Frankford Arsenal  
ATTN: W1000-65-1 (Mr. Helfrich)  
Philadelphia, PA 19137

Commanding Officer  
USASA Test & Eval Cen  
Ft Huachuca, Arizona 85613

Commanding Officer & Dir  
US Navy Ele Lab  
ATTN: Library  
San Diego, CA 92152

Commander  
US Naval Ordnance Lab  
ATTN: Tech Library  
White Oak, Silver Spring, MD 20910

Commander  
Naval Elect Sys Cmd HQ  
ATTN: CODE 05611  
Washington, D. C. 20360

Commandant, Marine Corps  
HQ, US Marine Corps  
ATTN: CODE A04C  
Washington, D. C. 20380

Marine Corps Dev & Educ Cmd  
Development Center  
ATTN: C-E Div  
Quantico, VA 22134

Commander  
US Naval Weapons Lab  
ATTN: KEB-2F(FENN)  
Dahlgren, VA 22448

Commander, Naval Air Sys Command  
Meteorological Div (AIR-540)  
Washington, D. C. 20360

Air Force Cambridge Rsch Labs  
ATTN: LKI  
L. G. Hanscom Field  
Bedford, Mass. 01730  
2

AFCRL (LYV)  
L. G. Hanscom Field  
Bedford, Mass. 01730

HQ, Elect Sys Div (TRI)  
L. G. Hanscom Field  
Bedford, Mass. 01730

Recon Central/RSA  
AF Avionics Lab  
Wright-Patterson AFB, Ohio 45433

HQ, Air Weather Service  
ATTN: AWVAS/TF (R. G. Stone)  
Scott AFB, IL 62225

US Air Force Security Ser  
ATTN: TSG  
San Antonio, TX 78241

HQ, Air Force Sys Command  
ATTN: DLTE  
Andrews AFB, MD 20331

Air Force Weapons Lab  
ATTN: WLIL  
Kirtland AFB, NM 87117

Ofc of Asst Ch of Staff for DS-SSS  
Dept of the Army  
Rm 3C466, The Pentagon  
Washington, D. C. 20315

Ofc Asst Sec of the Army (R&D)  
ATTN: Asst for Research  
Rm 3-E-379, The Pentagon  
Washington, D. C. 20310

Chief of Rsch & Development  
ATTN: CRDES  
Washington, D. C. 20315  
2

Commanding General  
US Army Materiel Command  
ATTN: AMCMA-EE  
Washington, D. C. 20315

Commanding General  
US Army Materiel Command  
ATTN: AMCRD-TV  
Washington, D. C. 20315  
2

Commanding General  
US Army Missile Command  
ATTN: AMSMI-RRR, Bldg 7770  
Redstone Arsenal, AL 35809



CG, US Army Missile Command  
Redstone Scientific Info Cen  
ATTN: Chief, Document Section  
Redstone Arsenal, AL 35809  
3

Commanding General  
US Army Combat Devel Command  
Intelligence & Control Sys Gr.  
ATTN: INCSCSD-C  
Ft Belvoir, VA 22060  
2

Commanding Officer  
US Army Limited War. Lab  
ATTN: CRDLWL-7C  
Aberdeen Proving Ground, MD 21005

Director  
US Army Ballistic Lab  
ATTN: AMXRD-BSP (Dr. Reuyl)  
Aberdeen Proving Ground, MD 21005

Commanding General  
US Army Test & Eval Command  
ATTN: AMSTE-EL  
Aberdeen Proving Ground, MD 21005

Commanding General  
US Army Test & Eval Command  
ATTN: AMSTE-FA  
Aberdeen Proving Ground, MD 21005

Commanding General  
US Army Test & Eval Command  
ATTN: AMSTE-NBC  
Aberdeen Proving Ground, MD 21005

Commanding General  
US Army Munitions Cmd  
ATTN: AMSMU-RE-R  
Dover, NJ 07801

Director  
US Army Munitions Command  
Operations Research Group  
Aberdeen Proving Ground, MD 21010

Commanding General  
US Army Munitions Command  
ATTN: AMSMU-RE-P  
Dover, NJ 07801

Commanding Officer  
Picatinny Arsenal  
ATTN: SMUPA-TVI  
Dover, NJ 07801

Commanding Officer  
USA Garrison  
ATTN: Tech Ref. Div.  
Fort Huachuca, Arizona 85613

Chief, A.M. & EW Division  
ATTN: USAEPG-STEEP-TD  
Fort Huachuca, Arizona 85613

US Army Rsch. Off. - Durham  
Box CM, DUKE Station  
ATTN: CRDARD-IP  
Durham, N. Carolina 27706

USA Security Agcy Combat Dev Actv  
ATTN: IACDA-P(T) & IACDA-P(L)  
Arlington Hall Station, Bldg 420  
Arlington, Virginia 22212  
2

Technical Support Directorate  
ATTN: Technical Library  
Bldg 3330  
Edgewood Arsenal, MD 26010

Commandant  
US Army Chemical Cen & School  
Micromet. Section (Chem. Br.)  
Ft McClellan, Ala 36201

Director  
USA Engr Waterways Exper Sta  
ATTN: Rsch Center Library  
Vicksburg, Mississippi 39180  
2

CG, Deseret Test Center  
ATTN: STEP-D-TT-ME(S) MET DIV  
Bldg 103, Soldiers Circle  
Fort Douglas, Utah 84113

Commanding General  
USA CDC Combat Arms Group  
Ft. Leavenworth, Kansas 66027

Commanding Officer  
Eustis Directorate  
US Army Air Mobility R&D Lab  
ATTN: Technical Library  
Fort Eustis, VA 23604

Director, US Army Advanced Matl Concepts  
Agcy  
ATTN: AMXAM  
Washington, D. C. 20315

Commanding Officer  
USACDC CBR Agcy  
Ft. McClellan, Ala 36201

Commanding General  
US Army Materiel Command  
ATTN: AMCRD R (H. Cohen)  
Washington, D. C. 20315

Commanding Officer  
US Army Combat Dev Cmd  
Communications-Elect Agcy  
Ft Monmouth, NJ 07703

US Army Liaison Office  
MIT-Lincoln Lab, Rm A-210  
P. O. Box 73  
Lexington, Mass. 02173

HQ, US Army Combat Dev Cmd  
ATTN: CDCLN-EL  
Ft Belvoir, VA 22060

Commanding General  
US Army Tank-Automotive Cmd  
ATTN: AMSTA-Z, Mr. R. McGregor  
Warren, Michigan 48090

Commanding General  
US Army Elect Command  
ATTN: AMSEL-GG-TD  
Ft Monmouth, NJ 07703  
2



Commanding General  
US Army Elect Command  
ATTN: AMSEL-EW  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-ME-NMP-PS  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-MS-TI  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-XL-D  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-WL-D  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-NL-D  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-KL-D  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-VL-D  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-CT-D  
Ft Monmouth, NJ 07703  
3

Commanding General  
US Army Elect Command  
ATTN: AMSEL-SC  
Ft Monmouth, NJ 07703

Commanding General  
US Army Elect Command  
ATTN: AMSEL-RD-D  
Ft Monmouth, NJ 07703

Commanding General  
US Army Combat Dev Cmd  
ATTN: CDCMR-E  
Ft Belvoir, VA 22060

President  
US Army Artillery Board  
Ft Sill, OK 73503

Dir of Defense Rsch & Engin  
ATTN: Tech Library  
RM 3E-1039, The Pentagon  
Washington, D. C. 20301

Defense Intelligence Agcy  
ATTN: DIAAP-10A2  
Washington, D. C. 20301

Director, Defense Nuclear Agency  
ATTN: Tech Library  
Washington, D. C. 20305

Naval Ships Systems Command  
ATTN: CODE 20526 (Tech Lib)  
Main Navy Bldg, Rm 1528  
Washington, D. C. 20325

Director  
US Naval Rsch Laboratory  
ATTN: CODE 2627  
Washington, D. C. 20390  
2

CO, Edgewood Arsenal  
Defense Devel & Engineering Lab  
ATTN: SMUEA-DDW-2, Mr. H. Tannenbaum  
Edgewood Arsenal, MD 21010

Commanding Officer  
Aberdeen Proving Ground  
ATTN: STEAP-TL  
Aberdeen Proving Ground, MD 21002

Director, Ballistic Rsch Labs  
US Army Aberdeen Rsch & Dev Cen  
ATTN: AMXRD-BTL, Mr. F. J. Allen  
Aberdeen Proving Ground, MD 21005

Commanding Officer  
US Army Ballistic Rsch Labs  
ATTN: AMXBR-B & AMXBR-1A  
Aberdeen Proving Ground, MD 21005  
2

Commanding Officer  
US Army Land Warfare Lab  
ATTN: CRDLWL-4A  
Aberdeen Proving Ground, MD 21005

Commanding Officer  
US Army Elect Proving Ground  
ATTN: STEEP-MT-EA  
Ft Huachuca, Arizona 85613

Commanding Officer  
US Army Dugway Proving Ground Library  
ATTN: STEDP-TL, Tech Library  
Dugway, Utah 84022

Commanding Officer  
US Army Cold Regions R&E Lab  
ATTN: CRREL-RP (Dr. Yin Chao Yen)  
Hanover, New Hampshire 03755

Commanding Officer  
Yuma Proving Ground  
ATTN: STEYP-AD(TECH LIBRARY)  
Yuma, Arizona 85364

Commanding Officer  
US Army Arctic Test Center  
APO Seattle 98733  
2

CO, US Army Tropic Test Center  
ATTN: STETC-AD-TL  
APO New York 09827  
2

Commanding Officer  
USACDC Inst of Nuclear Studies  
Ft Bliss, TX 79916

Commanding Officer  
USADDC Inst of Systems Analysis  
ATTN: CDISA-SSCI & CDISA-STANO  
Ft Belvoir, VA 22060

Commanding General  
US Army Missile Command  
ATTN: AMSMI-RFG, Mr. N. Bell  
Redstone Arsenal, AL 35809

Commanding Officer  
Frankford Arsenal  
ATTN: SMUFA-N-5300, Mr. M. Schoenfield  
Bldg 201  
Philadelphia, PA 19137

Commanding Officer  
US Army Satellite Comm Agcy  
ATTN: AMCPM-SC-3  
Ft Monmouth, NJ 07703

Director  
Night Vision Lab (USAECOM)  
ATTN: ASMEL-NV-OR, Mr. S. Segal  
Ft Belvoir, VA 22060

Sylvania Elect Sys-Western Div  
ATTN: Technical Reports Lib  
P. O. Box 205  
Mountain View, CA 94040

NASA HEADQUARTERS  
Prg. Ch, MET & Soundings (SRM)  
Earth Observations Programs  
Washington, D. C. 20546

Library-R51-Tech Reports  
Environmental Research Labs  
NOAA  
Boulder, Colorado, 80302

Commandant  
US Army Air Defense School  
ATTN: C&S Dept, MSL SCI DIV  
Ft Bliss, TX 79916

Defense Documentation Center  
ATTN: DDC-TCA  
Cameron Station (Bldg 5)  
Alexandria, VA 22314  
12

Director, USN Research Lab.  
ATTN: Code 6530, H. Shenker  
Washington, D. C. 20390

Mr. E. F. Corwin  
Head, Met Research Branch  
Meteorological Division  
Naval Air Sys Cmd (AIR-5401)  
Washington, D. C. 20360

Commanding Officer  
US Army Combat Dev Cmd  
Intelligence Agency  
ATTN: CDCINT-P, Cpt Thoresen  
Ft. Huachuca, Arizona

Director  
US Army Advanced Materiel Concepts Agency  
2461 Eisenhower Avenue  
Alexandria, VA 22314

University of Oklahoma  
Research Institute  
Field Artillery Research Off  
P. O. Box 3124  
Ft. Sill, OK 73503

Dir US Naval Research Lab  
ATTN: CODE 6530, H. Shenker  
Washington, D. C. 20390